



Zetadocs for NAV Essentials Installation Guide



Table of Contents

Essentials Installation	3
1. Zetadocs NAV Client	3
2. Installing the Zetadocs for NAV Server Extensions	5
3. Setting up your Archive	6
4. NAV Objects and Interfaces	7
5. Importing the Configuration File	11
Delivery Essentials Configuration	14
1. Delivery Settings	14
2. Document Templates	15
3. Template Settings	15
4. Introducing Delivery Rules	16
5. Testing Delivery Essentials	17
Capture Essentials Configuration	18
1. Installing the Zetadocs Server	19
2. Configuring Document Queue Options	19
3. Configuring Capture Settings	22
4. Testing Capture Essentials	24
Migrating to the live database	26
Further Resources	27



Essentials Installation

The document contains instructions on how to install Zetadocs for NAV Delivery and Capture Essentials, users installing point solutions or SDK features should refer to the documentation specific for those products after completing the Essentials Install. The Essentials setup installs the core Zetadocs components onto the server and client machines and also adds the Zetadocs objects and interfaces into NAV. As such all users should complete these steps regardless of whether they are installing Delivery, Capture or any of the advanced Plus solutions. Before you begin your installation you should check for the latest [software updates, tools and advice](#) to ensure you have everything you need.

Installation steps to be performed on the server or servers

1. Installing the Zetadocs for NAV Client
2. Installing the Zetadocs for NAV Server Extensions
3. Setting up the Archive
4. Importing the Objects and Interfaces
5. Importing the Configuration File

Installation steps to be performed on each client machine

Note: Should only be completed after the server install.

1. Installing the Zetadocs for NAV Client
2. Testing the Zetadocs for NAV Solution

1. Installing the Zetadocs for NAV Client

Zetadocs for NAV needs to be installed onto the server as well as any required client machines once the server install is complete.

Platform Specific Steps: Please review the additional information available in the Zetadocs for NAV Knowledgebase if you are installing on [Terminal Services or Group Policy](#).

Note: If there are multiple versions of NAV installed on the client machine, Zetadocs for NAV Client will only be installed for the latest version of NAV. In order to enable Zetadocs for NAV on older versions of NAV, please refer to technote [ZTN4416](#).

- Extract and run the Zetadocs for NAV product download.
- Choose install option based on your requirements:
 - Zetadocs Delivery
 - Zetadocs Capture
 - Zetadocs Delivery and Capture
- Select the [Latest Install Notes](#) option to ensure you have the latest advice and tools.
- Next select the Zetadocs NAV Client option and then choose the installation language and click Install.
- Proceed through the wizard, review and accept the license agreement and you will be prompted to select the Install Type, choose from the following:
 - Typical - Recommended for additional client installs.
 - Administrator - Recommended for server installs, includes all components including the licensing and

configuration application.

- Custom - Allows you to specify the install locations for Delivery and Capture components.
- If you are installing on the server machine and select the Administrator install type then you will be asked to create the templates folder, select a location and select Next to continue.
- Complete the wizard to finish the install of the Zetadocs for NAV Client.

Install Zetadocs for NAV Help Files

Help provision is handled differently depending on the version of NAV and the client that is being used, please follow the steps below relating to your NAV version.

NAV2013 R2 or NAV2015 and the Help Server

NAV 2013 R2 saw the introduction of the NAV help server, to enable your users to access the Zetadocs help files this must be installed. Please see your NAV 2013 R2 or NAV 2015 install documentation for details on how to setup the NAV Help Server.

To integrate the Zetadocs help files with the Microsoft Dynamics NAV Help you need to copy the Zetadocs help files into the main NAV help file folder and update the table of contents file to enable your users to locate the help they need.

- Locate your product download and select all of the files present from the folder below:
`\Documentation\Zetadocs NAV Help`
- Copy these to the NAV Help Server folder, depending on your NAV version:
 For NAV 7.1 systems copy to: `C:\inetpub\wwwroot\DynamicsNAV71Help\Help\<languagecode>`
 For NAV 8.0 systems copy to: `C:\inetpub\wwwroot\DynamicsNAV80Help\Help\<languagecode>`
- This adds the help files into the server where they can be accessed by pressing F1 on a Zetadocs field, a further step is required to add them to the Table of Contents so the content can be easily browsed for.
- Open the ToC_Additions.xml in file in a suitable editor and copy the contents and paste them into the ToC.xml file near the bottom, above the code shown below and Save the changes.

For NAV 7.1 systems: `<Node Name="CopyrightTrademarks" DisplayName="Copyrights and Trademarks" Page="oriCopyrightTrademarks.htm"/></Node>`

For NAV 8.0 systems: `<Node Name="Upgrade" DisplayName="Upgrading to Microsoft Dynamics NAV 2015" Page="oriUpgradingToNAVCreate.htm"><Node Name="MigratingToMultitenancy" DisplayName="Migrating to Multitenancy" Page="conMigratingTenantDatabases.htm" /></Node></Node>`

NAV2013 and earlier - Windows Client/Role Tailored Client

The Zetadocs for NAV help files need to be copied to the Microsoft Dynamics NAV help folder on each machine. The file names should use the first unused post-fix letter between a and j (e.g. change to `addin_b.chm` and `addin_b.hh` if `addin_a.chm` exists). The destination of these files is determined by the install language e.g. substitute the en-GB subfolder shown in the examples below for the language pertinent to the install e.g. en-US for US systems.

There are 2 files to copy a .chm file and accompanying .hh file which are available from your product download in the folder:

`\Zetadocs NAV Client\NAV Help`

For NAV 6.0 systems copy to: `Program Files (x86)\Microsoft Dynamics NAV\60\RoleTailored Client\en-GB`

For NAV 2013 systems copy to: `Program Files (x86)\Microsoft Dynamics NAV\70\RoleTailored Client\en-GB`

`addin_a.hh` - Should be copied to:

For NAV 6.0 systems copy to: `Program Files (x86)\Microsoft Dynamics NAV\60\Service\ENG`

For NAV 2013 systems copy to: `Program Files\Microsoft Dynamics NAV\70\Service\ENG`

You may need to restart the Microsoft Dynamics NAV server to get the help files to appear.

- Go to Start → Run, type `services.msc`, and then press ENTER.
- Under Services, right-click Microsoft Dynamics NAV Server, and then click Restart.

NAV2013 and earlier - Development Environment/Classic Client

The Zetadocs for NAV help files need to be copied to the Microsoft Dynamics NAV help folder on each machine. The file names should use the first unused post-fix letter between a and j (e.g. change to addin_b.chm and addin_b.hh if addin_a.chm exists). The destination of these files is determined by the install language e.g. substitute the en-GB subfolder shown in the examples below for the language pertinent to the install e.g. en-US for US systems. There are 2 files to copy a .chm file and accompanying .hh file which are available from your product download in the folder:

`\\Zetadocs NAV Client\NAV Help\`

For NAV 6.0 systems copy to: Program Files\Microsoft Dynamics NAV\60\Classic\ENG

For NAV 2013 systems copy to: Program Files\Microsoft Dynamics NAV\70\Service\ENG

You may need to restart the Microsoft Dynamics NAV server to get the help files to appear.

- Go to Start → Run, type services.msc, and then press ENTER.
- Under Services, right-click Microsoft Dynamics NAV Server, and then click Restart.

Configuring Zetadocs Licensing

Zetadocs Client Licensing and Setup

- Launch the Zetadocs PDF Configuration and choose the license location (General Tab).
 - Active Directory (requires that user has access rights to write to AD)
 - Shared Network Folder
- Enter your Zetadocs license number, company name and click Register Online and follow the onscreen steps.
- Following registration you will be provided with a registration key by email, enter the key to continue.
- Add the required users.
- Set up a shared network folder in the client for the NAV Templates, use the location specified earlier in the install.
- Leave Network Archiving off as you will configure archiving settings in NAV later in the install.

Zetadocs Client

- Start the Zetadocs Client, if using Active Directory licensing, Zetadocs should locate the license automatically, otherwise, go to Tools → Options → Licensing and enter the path to the network folder containing the Zetadocs license.
- Restart the client if necessary, you can confirm that you are successful if the splash screen shows the Automation tag beside the number of users.

Please refer to the Zetadocs Client Help for further information on configuring the Zetadocs Client.

2. Installing the Zetadocs for NAV Server Extensions

NOTE: This step is only required for NAV 2013 R2 later.

The Zetadocs NAV Server Extensions setup program installs the Zetadocs NAV Server Extensions .

1. Locate the Zetadocs NAV Server Extensions folder of your product download and run the setup.exe file.
2. Proceed through the wizard following the on screen prompts to complete the installation.

Note: Please restart the Microsoft Dynamics NAV Server to complete the installation.

3. Setting up your Archive

Zetadocs provides two options for archiving your documents, you can archive either to SharePoint using the Zetadocs SharePoint Extensions or you can use the [Zetadocs Archive](#) which allows you to archive files to a Network folder.

SharePoint Archive

To archive documents to SharePoint you need to add the Zetadocs SharePoint extensions to your SharePoint site, this enables Zetadocs to archive documents with an array of metadata. This allows Zetadocs to identify and associate documents in SharePoint with NAV records as they pass through the sales and purchase processes, enabling users to access the relevant documents quickly and easily.

Prerequisites

- Microsoft SharePoint Foundation 2010/2013
- Microsoft SharePoint 2010/2013
- Microsoft SharePoint Online
- 64-bit Systems require the Adobe PDF IFilter be installed, details can be found [here](#).

Adding the Zetadocs SharePoint Extensions

- Log into SharePoint as a Site Collection Administrator.
- For SharePoint 2013 systems: Select the Cog dropdown menu and choose Site Settings before selecting Solutions in the Web Designer Galleries section.
- For SharePoint 2010 systems: On the Site Actions menu, click Site Settings.
- For all version now click Solutions, and on the ribbon select Solutions and then Upload Solution.
- Locate the Zetadocs SharePoint Extensions folder of your product download and select the Zetadocs SharePoint Extensions.wsp file.
- Upload it and then click on Activate.
- Select Site Settings and then Manage Site Features.
- Activate the Zetadocs elements in the following order:
 - Zetadocs Content Type
 - Zetadocs Document Library
 - Zetadocs Workflow (Discontinued)

Zetadocs Archive

The Zetadocs Archive Service runs on a server machine on your network and handles the archiving of documents captured and sent using Zetadocs. The Zetadocs Archive Service makes use of a SQL database to store the metadata and act as an index for the archive to allow searching for documents by any metadata field.

Creating the Zetadocs Archive Folder

The archive requires a network folder into which captured documents are placed and to which users require access permissions.

- Create a folder with the name Zetadocs Archive, the Zetadocs Archive Service searches for this exact name and will not work with any other naming.
- Ensure this location has sufficient disk space, a technical note is available [here](#) should you need assistance determining your requirements.
- View the folders Properties and select the Share tab, followed by Advanced Sharing.
- Check the Share this folder checkbox and add the share name Zetadocs Archive.
- Select the Permissions button and add required users and groups:
 - All users of Zetadocs require Read permissions, add these individually or create a Zetadocs group.
 - The Zetadocs Archive Service must have access to the folder, by default it runs as Local System and for it to

function correctly the system account requires FULL permissions.

- Next return to the Properties for the folder and select the Security tab.
- Select the Edit... button and in the window which appears select Add...
 - All users of Zetadocs require Read permissions, add these individually or as a group.
 - The Zetadocs Archive Service must have access to the folder, by default it runs as Local System and for it to function correctly the system account requires FULL permissions.

Installing the Service

Note: If you are running on Windows Server 2003 you must carry out the additional steps in this [technical note](#) before proceeding with the steps below, or to install the Zetadocs Archive Service with Microsoft SQL Server instead of the default Microsoft SQL Server Express edition, follow these [instructions](#).

- Locate the Zetadocs Archive Service folder of your product download and run the setup.exe file.
- Note: The Zetadocs Archive Service installer may require you to reboot your server to complete.
- The installer performs the following actions:
 - Installs Microsoft SQL Server Express edition (or adds a new instance if already installed)
 - Creates the SQL database for indexing and metadata
 - Installs the Zetadocs Archive Service
- Proceed through the wizard following the on screen prompts to complete the installation.

Connecting the Zetadocs Archive Service and Zetadocs Archive folder

If you have setup the Zetadocs Archive folder on a different server to the Zetadocs Archive Service you now need to carry out the steps below to ensure the service can access the folder. If they are on the same server machine this is not required.

- Locate the Zetadocs Archive Service\Scripts folder of your product download and run the SetArchiveFolderLocation.cmd file.
- In the window which appears enter the server name where the Zetadocs Archive folder is located.
- Next you need to ensure that the user the Zetadocs Archive Service is running as is a domain user.
- To do this open Users and Groups, or the equivalent on the operating system you are using.
- Select Users and then New User... from the Action menu.
- Give the account a suitable user name, full name and description.
- Enter a password for the account and ensure the Password never expires checkbox is selected before clicking Create.
- Next go to your Zetadocs Archive folder and view its Properties and select the Share tab, followed by Advanced Sharing.
- Select the Permissions button and add your newly created user account with FULL permissions.
- Next return to the Properties for the folder and select the Security tab.
- Select the Edit... button and in the window which appears select Add...
- Add the users and groups you created earlier to grant your users and the Zetadocs Archive Service access to the Zetadocs Archive folder.
- Open the services list and locate the Zetadocs Archive Service, stop the service before right-clicking and selecting Properties.
- View the Log On tab and check the This account radio button, click Browse... and select your recently created user account.
- Enter the password details and click OK before restarting the service running as the new user.

4. NAV Objects and Interfaces

This section details how to import the objects used by Zetadocs into NAV in addition to a number of modifications which need to be done to some existing NAV interfaces and reports. [Tools](#) are available to automate this process for most pages. [Manual steps](#) are also available for heavily modified objects.

Prerequisites

- Suitable NAV licence for importing NAV objects.

- Logged in with sufficient permissions and developer license.
- The Windows Script Control ActiveX control needs to be installed.

Creating a test NAV system

It is recommended that you perform the importation of the NAV objects and configuration data on a duplicate of your live database, this can then be exported and transferred onto the live system once you are confident that it is working as expected.

Backing up the existing NAV Objects

In order to be able to uninstall Zetadocs for NAV software it is necessary to backup the NAV objects before installing the Zetadocs for NAV objects.

- Open the Object Designer (Tools → Object Designer).
- Click on All button in the designer menu.
- Select All objects and export them, File → Export.
- Export the objects and store the file in a safe location.

Importing the Zetadocs for NAV Objects

- Open the NAV Development Environment (Classic Client) and the relevant database.
- From the object designer import the fob file by selecting File → Import.
- Browse to your product download and navigate to Zetadocs NAV Server Components\ folder.
- Choose the object file relevant to your NAV version.

NAV Version	Fob file to use
NAV 6.01 (2009 SP1)	<i>Zetadocs for NAV Objects - NAV6.01.fob</i>
NAV 6.10 (2009 R2)	<i>Zetadocs for NAV Objects - NAV6.10.fob</i>
NAV 7.00 (NAV2013)	<i>Zetadocs for NAV Objects – NAV7.00.fob</i>
NAV 7.10 (NAV2013 R2)	<i>Zetadocs for NAV Objects – NAV7.10.fob</i>
NAV 8.00 (NAV2015)	<i>Zetadocs for NAV Objects – NAV8.00.fob</i>

- Assuming there are no collisions with existing objects continue importing the objects and ensure that there have been no compilation errors.

Note: If upgrading from Zetadocs Express there will be some collisions, and you will be presented with the NAV Import Worksheet. Please accept the default actions and click OK to continue with the import.

Zetadocs Interface Modification Tool

Zetadocs requires several existing NAV interfaces to be modified to add Zetadocs functionality, to make this process quicker and easier we have provided the Zetadocs Interface Modifier tool. This can update the NAV v5.x, v6.x, 7.x and 8.0 objects so that they can integrate with Zetadocs, the tool will inform you if there are any issues, for example if the objects have too extensive a set of existing customizations, in which case [manual steps](#) are available.

- Download the [Interface Modification Tool](#) and extract it.
- Open the object designer and choose the All tab.
- Click on the Table Filter and add these filters to select those objects which need modifying to support Zetadocs integration:
 - Type: Form|Page, Note: Forms are not compatible with NAV 7.0.
 - ID: 21|26|41..44|49..52|130|132|134|136|138|140|507|509|6630|6640|6650|6660
- Apply the filter and review the list, systems utilising Sales reports require the customer card and likewise those with Purchasing reports require the vendor card be included but the remaining objects can be selected based on which you wish to add Zetadocs support for.
- Select the required objects and go to File → Export and save the interfaces as an XML file (NAV 6.x) or as a TXT file (NAV 5.x, NAV 7.x and NAV 8.00)

- Open the [ZdNAVInterfaceTool - Full.exe](#) file and click on Load Items, you will be asked to specify your NAV version and language.
- Browse to the location of your exported Interfaces file and click Open, the tool will load your exported items, click Start.
- The tool will then prompt you to decide whether to include the Rules action to the Customer and Vendor cards.
- Invalid items are reported in a message dialog after the load operation has completed and should be processed [manually](#).
- The status column shows the conversion process. If an item cannot be modified, the reason will be listed in this column, in which case follow the [manual instructions](#).
- The updated file name will be appended (Modified) and is available in the folder containing the original interfaces file.
- Invalid items are reported in a message dialog after the load operation has completed and should be processed manually.
- Re-import the modified pages and forms into NAV and deal with any merge and conflict messages that may appear, before compiling them (F11).

Zetadocs Report Modification Tool

Note: These sections are only required for Zetadocs Delivery, those only installing Capture Essentials can continue from [importing the configuration](#).

Each report you wish to deliver with Zetadocs also needs to be modified to enable Zetadocs functionality, to facilitate this we have provided the Zetadocs Report Modification Tool.

Prerequisites

- Compatible with NAV 5.x, 6.x, 7.x and 8.o Development Environment.
- The Tool is not guaranteed to work for all NAV reports, in which case [manual steps are also available](#) in the Zetadocs knowledgebase. Additionally, this knowledgebase also provides manual steps to modify [remittance advice reports](#) and [Word layout reports for NAV 2015](#).
- The tool does not perform all the changes required for Windows Client reports, to adjust Windows Client reports we recommend running the reports through the tool and then performing the additional edits detailed below.

Using the Report Tool

- Download the [Report Modification Tool](#) and extract it.
- Open the Object Designer and select the reports you wish to add Zetadocs functionality to and export them as a text file.
- Run the Tool and click Load Reports before selecting the version of NAV.
- Browse to your exported reports and click Start and the Conversion Options window will appear.
- Modify the new report ID range as required.
 - This specifies the starting ID that the Report Modification Tool will use for the first modified report. Subsequent reports will use values incremented from this base value.
- Modify the report name prefix, as required.
 - This specifies a 0 to 3 character prefix that all reports will have appended to their names. This ensures the reports have a unique name. Leaving the prefix blank will allow the existing report name to be used, however, you may get name collisions if you have chosen to use new report IDs as well.
- You may be asked to delete the existing output directory, you may wish to back up this directory before proceeding.
- If a report cannot be modified, the reason will be listed. For successful conversions, the new report ID and report name are given.
- The modified reports are now available in the folder containing the original reports, in an Output subfolder.
- Reimport the reports and deal with any merge and conflict messages that appear.

Windows Client layout modifications

If you are using the Windows Client then you need to perform these additional steps to ensure the Zetadocs reference is added to the report. There are two different methods to do this depending on how it has been designed and the version of NAV in question. Most can use the header and body section modifications detailed below but some reports like the remittance advice journal require the [body only modifications](#).

NAV 2009/2013/2015 R2/2015 modifying the Header and Body section

The Order confirmation report is an example where the page header section is used to display header information on each page for the record. When this is the case, follow the instructions below to add the Zetadocs reference.

- Locate the report and click View → Layout to open the report designer.
- Add a new text box in the top left of the body section, ensuring it does not overlap any existing controls.
- Existing text boxes have a parent listbox called list1. If this is the case then ensure that this new textbox has the same.
- Adjust the properties as follows:
 - Name: Zetadocs_Reference_tb.
 - Value: =Fields!Zetadocs_Reference.Value.
 - Visibility Hidden: TRUE.
 - Color: Red.
- Open the Document Outline – Report window (Visual Studio → View → Other Windows → Document Outline).
- Locate and cut the Zetadocs_Reference_tb textbox.
- Right click on the list1_Contents node from the document outline Report and select paste then click the Bring to front button.
- Next, add a new text box to the top left of the page header section of the report ensuring the textbox does not overlap any existing controls and that the whole 15 digit ZD Reference will fit in the text box on one line.
- Adjust the properties as follows:
 - Font size: 6 (4 being the minimum)
 - Color: White
 - Value: =ReportItems!Zetadocs_Reference_tb.Value.
- Close and save the report.

Version Code

Once you have saved the report add **EQ7.0** to the Version List column in the Object Designer.

NAV 2009 modifying the Body section only

The remittance advice journal report is an example of a report that does not have a page header section. When this is the case, follow the instructions below to add the Zetadocs reference. Additional help for remittance advice reports can be found online in the [knowledgebase](#).

- Click View → Layout to open the report designer for Windows Client reports.
- Add a new text box into the top left of the header section ensuring the textbox does not overlap any existing controls.
- Usually existing text boxes have a parent listbox called list1. If this is the case then ensure that this new textbox has the same.
- Adjust the properties as follows:
 - Font size: 6 (4 being the minimum)
 - Color: White
 - Value: =Fields!Zetadocs_Reference.Value.
- Close and save the report.

Version Code

Once you have saved the report add **EQ7.0** to the Version List column in the Object Designer.

Zetadocs Sample Templates

Zetadocs comes with a number of sample templates, it is usually simpler to modify these to match your requirements than to create new ones. The English language versions of the templates will have been copied to the Shared Network Folder you created during the client installation, if you are installing your system in another language simply follow the steps below to replace these with the translated templates.

- Browse to your product download then Zetadocs NAV Server Components\Sample Templates\.
- Select the language required and copy the templates to the Shared Network folder you created during the client

installation for the templates. The default location is:

\\<machine name>\Zetadocs Templates

5. Importing the Configuration File

Zetadocs comes equipped with a standard configuration file which you must import, as it populates NAV with the base settings Zetadocs requires, once you have completed the import you should have a basic working Delivery Essentials system.

Importing the Language Module

If you are intending to use a language other than English, you will need to import the relevant language module, using the steps below.

Note: If you are using either NAV 2013 R2 or NAV 2015 you must carry out the additional steps in this [technical note](#) before proceeding with the steps below.

- In the object designer select the All view.
- Then using a table filter Version = EQ* to list all the Zetadocs objects.
- Select all the highlighted objects and click Tools → Language module → Import.
- Browse to the Zetadocs NAV Server Components\Language Modules\ folder of your product download.
- Import the language module for your region and version of NAV e.g. for a Dutch NAV 2013 system this would be the Zetadocs for NAV Language Module – NAV7.xxNL.flm.

Importing the Zetadocs Standard Configuration Data

NAV 2013, NAV 2013 R2 and NAV 2015

- Open the Windows Client and in the Navigation Pane select Departments → Administration → Application Setup → Zetadocs Setup → Zetadocs General Settings.
- A message may appear informing you that the Windows Client needs permission to run the Zetadocs.ExternalUtilities.ZdAutomationFactory, select Always Allow and then OK.
- Next select Actions and then Import Configuration Data.
- On the import dialog, provide a path to the templates should you be using a location other than the default.

NAV 2009

- Right click on the Navigation Pane and select Refresh or close and then open NAV to update the menu suite with the changes imported earlier.
- Select Administration → Application Setup → Zetadocs Setup.
- Run the Zetadocs General Settings Form.
- Select Functions → Import Configuration Data.

Common Steps

- Browse to Zetadocs NAV Server Components\Standard Configuration Data folder of your product download.
- Select the relevant xml file, e.g. for English it would be \Zetadocs NAV Server Components\Standard Configuration Data\Zetadocs for NAV Configuration – English.xml and click Import.
- A pair of warning messages will appear, select Yes to continue.
- NAV 2013 users should click Import on the Home tab. You will be asked to confirm that you wish to import the data, as it will overwrite any existing data in these tables.

Archive Settings

- Next if you are archiving documents using Zetadocs you need to select your preferred method.
 - Off - Zetadocs will not attempt to archive items.
 - SharePoint - This enables the SharePoint configuration settings which Zetadocs will use to archive your

documents.

- Zetadocs Archive - This enables Zetadocs Archive Service address field, this needs to point to the [Zetadocs Archive Service](#) installed when setting up your archive.
 - Next enter a Document Library, the default value is Zetadocs. Note: If using the Zetadocs Archive Service this value should be left set to the default value Zetadocs.
 - Set the library Folder Name Structure, this subdivides archived documents into subfolders in the SharePoint document library based on information from the sent record.
 - You have three levels to work with and can choose the following options:
 - COMPANY – The recipient NAV Customer name. e.g. Cronus Inc
 - DATE – The Date with a format specified by the Date Folder Naming property below. e.g. 30/03/2013
 - DOCTYPE – The Document Type as specified for the current Zetadocs Document Set, or its override in the Zetadocs Report Settings. e.g. Sales Orders. Note: This is not the SharePoint content type.
 - When using Date you need to specify the Date Folder Naming, this specifies the date format e.g. YYYY-MM-DD, DD-MM-YYYY, MM-DD-YYYY etc.
 - If you have installed the Zetadocs NAV Server Extensions, check Load Document FactBox without document list, so that NAV Web Client pages display more quickly on systems using slower data stores (e.g. SharePoint Online). This option is also applied to the NAV Windows Client when using Web Client Document FactBox in server only deployments (NAV 2013 R2 and NAV 2015).
 - If you are using SharePoint archiving input the SharePoint site or site collection address as required. This is the bold section shown here: **<https://equisys.SharePoint.com/sites/MicrosoftDynamics/default.aspx>**.
- Note: You can click the button located at the end of the SharePoint Site field to verify it.
- If you are using the Zetadocs Archive, enter the server name on your network where the Zetadocs Archive Service has been installed into the Service Address field e.g. <http://example-server/ZetadocsArchive> ensuring there are no spaces in the name.
 - Once you have added the service address click the test button at the end of the field to verify it, this will open a browser window and if successful in connecting to the service it will display a page titled ArchiveService Service with the confirmation message You have created a service below it.

Updating the Zetadocs Report Settings to match your Reports

The Zetadocs Standard Configuration data points at the default report objects, you now need to adjust this to match your report id's as specified during the [report modification steps](#).

- For NAV 2013/2013 R2/2015: Open the Windows Client and in the Navigation Pane select Departments → Administration → Application Setup → Zetadocs Setup → Zetadocs Report Settings.
- For NAV 2009: Select the Administration → Zetadocs Setup → Advanced Settings, then the Zetadocs Report Settings Card.
- Select a report and use the Document Set Name as your guide to the respective report setting.
- Select the Report ID field and choose your modified report from the Object list.
- Repeat the process for any remaining reports as required.

Note: A report can only be associated with one Zetadocs Document Set but many reports can be associated with one Zetadocs Document Set.

Setting NAV to run the correct reports

You may now need to set NAV to run the modified reports instead of the original ones by adjusting the Report Selections in NAV. You do not need to perform this step if you have modified your reports and kept the default Report IDs. In this example we will set NAV to run the modified Order Confirmation report, this process should be repeated for each new report being used.

- For NAV 2013/2013 R2/2015: Search for Report Selections Sales and select the Order report from the drop down.
- For NAV 2009: Open the NAV client and select Administration → Sales & Marketing → Report Selections and choose the Order report.
- Click into the Report ID field and select the arrow to open the Objects list.
- Select the new object from the list, in this case 9009962 ZD-Order Confirmation.
- Repeat as required for the other reports.

Importing the Zetadocs Permissions

Users in NAV need to be granted permissions to access and edit fields, this also applies to the additional Zetadocs NAV objects. As such you now need to add permissions to allow users access to the Zetadocs elements in NAV.

For NAV 2013, NAV 2013 R2 and NAV 2015

- Search for Configuration Packages in the Windows Client and open the Configuration Packages page.
- Select Import Package... from the Process group on the Home tab.
- Locate the Zetadocs for NAV Permission Sets and Permissions – NAV 7.00.RAPIDSTART file from your product download and click Open.
- Select the ZETADOCS entry in the Configuration Packages list and click on Apply Package.
- You will be asked to confirm that you wish to apply the data, click Yes to continue and complete the import.

For NAV 2009

- Select Administration → Application Setup → Company Setup → Data Migration.
- The Migration Overview form will appear, select Functions and then Import from XML.
- Go to your product download and browse to the Zetadocs NAV Server Components folder and select the Zetadocs for NAV Roles.xml file.
- On the Migration Overview form, select the Migration button and then Apply Migration Data.
- Repeat this process to import and apply the Zetadocs for NAV Permissions.xml file.
- Next select Tools → Security → Synchronize All Logins.

Assigning Users Permissions

For NAV 2013, NAV 2013 R2 and NAV 2015

- In the Windows Client search for the User Setup page.
- Click the Edit List option and select a user from the User ID drop down.
- Click Edit to open the User Card and scroll down to the User Permission Sets fast tab, select an empty row and add the required permission sets from the options below.
 - ZETADOCS - grants access to the standard Zetadocs pages, forms and tables and allows you to use Zetadocs for NAV.
 - ZETADOCS ADMIN - grants the user the ability to adjust the setup of the system in more fundamental ways and should be reserved to administrators only.
- Click OK when finished and repeat for the remaining users.

For NAV 2009

- Click Tools → Security → Roles.
- Select the Zetadocs role you want to from the options below and click the Role button and select the Windows Logins option.
 - ZETADOCS - grants access to the standard Zetadocs pages, forms and tables and allows you to use Zetadocs for NAV.
 - ZETADOCS ADMIN - grants the user the ability to adjust the setup of the system in more fundamental ways and should be reserved to administrators only.
- To add a Windows user or group to the list, select an empty row.
- In the Login ID field, click Assist and the Windows Logins window appears.
- Select the user you want to assign this Zetadocs role to and click OK.
- This user or group will now be added to the list shown in the Windows Logins window for this role, repeat for any remaining users.



Delivery Essentials Configuration

The configuration data imported earlier will have provided a basic working system that should be capable of sending reports from NAV to recipients and archiving them. This chapter covers how you modify the configuration to fulfill your specific requirements. For further information on any field in the settings simply press F1 with it selected. You should have already configured the [Zetadocs General Settings](#) during the configuration import earlier, so we can proceed with customizing the [Delivery settings](#).

1. Delivery Settings

The Zetadocs Delivery Settings are only relevant to Delivery Essentials users and enable you to specify options applied to documents on sending. This does not include addressing or delivery method, which are determined using the [Delivery Rules](#) but covers the standard actions that will be applied to all sent items.

To access the Delivery Settings in NAV 2013, NAV 2013 R2 and NAV 2015:

- Open the Windows Client and in the Navigation Pane select Departments → Administration → Application Setup → Zetadocs Setup → Zetadocs Delivery Settings.

To access the Delivery Settings in NAV 2009:

- Open the Development Environment and navigate to Administration → Application Setup → Zetadocs Setup → Zetadocs Delivery Settings.

General Settings

Fax Enabled: Requires the installation Zetafax. If you have Zetafax installed check this option.

Reference Prefix: The reference prefix is printed onto documents sent using Zetadocs, it can be a maximum of 15 characters long.

Sent Items Settings

Archiving Sent Items Enabled (optional): Checking this box results in documents, sent using Zetadocs Client, being archived to a central shared network folder. This occurs in addition to any SharePoint or Zetadocs archiving you may have configured on the Zetadocs General Settings page. It is intended as a copy of sent items for customer not wishing to configure the archiving options on the Zetadocs General Settings page. **Note:** Documents in the sent items folder do not appear in the Zetadocs Documents FactBox.

Archive Location: The location of the shared network folder for archiving, it requires a suitable network folder location. You must also ensure that all Zetadocs enabled users have permission to access this folder. **Note:** This option does not support any of the Zetadocs for NAV search features which require SharePoint integration.

Folder Name Structure: Subdivides archived documents into subfolders of the SharePoint document library based on information from the sent record. You can specify up to three of these values to generate your file plan using the Folder Option 1, 2 and 3 fields.

- COMPANY – The recipient NAV Customer name
- DATE – The Date with a format specified by the Date Folder Naming property
- DOCTYPE – The Document Type as specified for the current Zetadocs Document Set, or its override in the Zetadocs Report Settings

Date Folder Naming: Allows you to specify the format of the date folder structure in the SharePoint archive. E.g. YYYY-MM-DD, DD-MM-YYYY, MM-DD-YYYY etc.

2. Document Templates

The final area of system settings we need to configure are the [Template settings](#), however before looking into the settings it is recommended that you first familiarise yourself with templates and what they can offer your system. Zetadocs Templates combine stationery overlays and attachment documents as well as supplementary addressing for any document sent using that template from the Zetadocs Client.

Note: If you are installing in a language other than English you should first check the templates folder of your product download as it contains a folder with sample templates specific to your language.

Document Template Features

Attachments: The document template can include an attachment to allow you to include your own company specific documents like terms and conditions etc. This is in addition to the copy of the document being sent.

Stationery: A single stationery file can be used to add the companies branding to all documents being sent out.

Message Body Text: The message body text contains the email message body and subject, this can be used with dynamics fields to populate information from NAV automatically into the email reducing the time required to process business documents.

Sample Templates

To speed the setup of your system we have provided a set of generic templates which can be used to quickly get you up and running, these contain.

Attachments: No default attachments are included with the sample templates.

Stationery: The sample templates all point to the same stationery file meaning that by updating this one file to match your companies existing documentation all documents sent by the system will be branded.

Message Body Text: A default email message is provided for the main document types, with dynamic fields automatically populating it with key data, shown in red below.

Subject: Order Confirmation for order number: 300381 for Equisys Ltd

Message Body:

FAO: John Smith

Dear Customer,

I'm pleased to attach your order confirmation, reference number 300381.

Kind regards,

Sales Team

For details on adjusting the Zetadocs Templates open the Zetadocs Client and view the help files.

3. Template Settings

Zetadocs Templates combine stationery overlays and attachment documents as well as supplementary addressing for any document sent using that template from the Zetadocs Client. Zetadocs will already have created entries for each type of report supported, these can be modified in the Zetadocs Client, the section on [document templates](#) explains this further.

To access the Template Settings in NAV 2013, NAV 2013 R2 and NAV 2015:

- Open the Windows Client and in the Navigation Pane select Departments → Administration → Application Setup → Zetadocs Setup → Zetadocs Template List.

To access the Template Settings in NAV 2009:

- Open the Classic client and in the navigate to Administration → Application Setup → Zetadocs Setup → Advanced Settings → Zetadocs Templates.

Available Options

Template ID: The ID specific to this particular template.

Path: Contains the path to the folder which stores your templates.

Name: Contains the filename of the template to be used.

Description: A description of the template to help you identify it.

Should you wish to change the template a report uses, for example if you wished to send out Sales Orders for a period with special attachment and message as part of a special offer. Then you can create additional templates in the Zetadocs client and assign them by doing the following.

- Create a new template based upon the existing Sales Order Template using the Zetadocs Client, the Client has help files with details on how to do this, this allows you to edit the email message to inform customers of the special offer and change the attachment for one with details of the offer.
- Next open the Windows Client and in the Navigation Pane select Departments → Administration → Application Setup → Zetadocs Setup → Zetadocs Template List

Fields

Template ID: The ID specific to this particular template.

Path: Contains the path to the folder which stores your templates.

Name: Contains the filename of the template to be used.

Description: A description of the template to help you identify it.

To use a new template:

- Choose the Template you wish to modify and select OK.
- Select the Path option and enter the location of the new template.
- The name field will automatically populate, add a suitable Description and close the window.
- Any documents which would have been sent with the previous template will now make use of the new one.

This completes the setup of the standard delivery settings which apply across all documents, at this point your system should be setup to send out your business documents with the correct stationery, attachments and a email personalised by dynamic fields. The next level of customisation allows you to specify how each type of document is handled and how specific customers or vendors have their document delivered. The next section will [introduce delivery rules](#).

4. Introducing Delivery Rules

When printing a Zetadocs enabled report, Zetadocs analyses each record in turn against the Delivery Rules. These include details such as the recipient, delivery method (Email, Fax, Hard Copy), Archiving settings and the template to apply. Zetadocs rules come in four levels. On printing a document to Zetadocs the rules are applied in ascending order.

Rules Levels:

1. The Default Rule – a basic rule that can be used by any Zetadocs enabled report.
2. Per Document Set – specific settings for Zetadocs enabled documents by type.
3. Per Company – specific settings for Zetadocs enabled documents by company.
4. Per Company, per Document Set – specific settings applied to specific document types when sent to a specific company.

5. Testing Delivery Essentials

Activating Test Mode

When testing Zetadocs you can either create dummy records or readdress them as part of the test or you can place reports test mode, this will stop the report being sent to the Zetadocs Client for delivery. This allows you to test the system without sending documents to customers.

To access the Report Settings in NAV 2013, NAV 2013 R2 and NAV 2015:

- Open the Windows Client and in the Navigation Pane select Departments → Administration → Application Setup → Zetadocs Setup → Zetadocs Report Settings.

To access the Report Settings in NAV 2009:

- Open the Development Environment and navigate to Administration → Application Setup → Zetadocs Setup → Advanced Settings → Zetadocs Report Settings.
- Select the report you wish to put into test mode and locate the Test mode checkbox.
- Ensure this is ticked for each report you are testing, **NOTE: you will need to undo these steps once testing is complete.**

Zetadocs for NAV Document Delivery

Single Send

- Open the Order Processing section or search for Sales Orders in the NAV Windows Client.
- Select or create a suitable order record and select Print → Order Confirmation, a print dialog will appear, select Print.
- The Zetadocs Delivery card may appear depending on your system settings, this will contain all of the delivery details according to your current rule setup.
- Select OK to send the report, check to ensure it delivers and archives as expected.

Batch Send

- Open the Order Processing section and select Sales Orders.
- Select a suitable range of records and select Print → Order Confirmation.
- The usual print dialog will appear, select Print.
- The Zetadocs Batch Delivery card may appear depending on your system settings, this will contain all of the delivery details according to your current rule setup.
- Select OK to send the reports, check to ensure they deliver as expected and archive if this has been configured as well.

Remember to undo Test mode once testing is complete.



Capture Essentials Configuration

In this section we will install the Zetadocs Server and go through its configuration options, please ensure you have carried out the steps in the [Delivery Essentials Setup](#), as many of its components are required to support capture. Systems which are not using Capture Essentials can skip this section.

Main Steps:

1. [Installing the Zetadocs Server](#)
2. [Configuring Document Queue Options](#)
3. [Configuring Capture Settings](#)

1. Installing the Zetadocs Server

The Zetadocs Server monitors network folders setup for document queues and converts documents added to that folder to PDF/A format before placing them in the document queue.

- Go to the Zetadocs Setup program and select your Zetadocs product version.
- Next select the Zetadocs Server option to start the installer.
- Click Next and choose a destination folder for the installation and then Next.
- You will be asked to choose whether you want to include OCR support, this feature requires additional Zetadocs licencing either the Supplier Invoice Processing, Proof of Delivery or Capture Plus modules as well as an Abbyy licence.
- Choose the relevant option for your install and complete installing the Zetadocs Server.
 - I have an Abbyy licence and would like OCR support.
 - I do not have an Abbyy licence number.

Installing OCR Support

OCR support is provided using the third party solution provided by Abbyy, follow the steps below if you are installing OCR or barcode support, otherwise continue onto the [next step](#).

- Click Next, if you have included Abbyy OCR you will be asked to review their licence agreement.
- Once you have reviewed and selected I Agree, click Next.
- The Installation Wizard is now ready to install the Zetadocs Server, select Install and the wizard will complete the install.

Licensing Abbyy FineReader

Note: This requires an Abbyy licence.

- If you earlier specified that you wished to include Abbyy OCR support then you now need to license the Abbyy FineReader Engine.
- The Abbyy License Manager will open automatically.
- Click the Add new... button and then add your Abbyy license number and click Add.
- The Abbyy FineReader Activation Wizard will appear for you to activate your product.

Activation methods:

- Via the Internet - Activation is carried out automatically and takes only a few seconds. An Internet connection is required for this type of activation.
- By e-mail - The user needs to send an e-mail message generated by the program and containing information required for activation. To ensure a quick reply from the mail robot, do not alter the information in the message body or Subject field.

1. Installing the Zetadocs Server

The Zetadocs Server monitors network folders setup for document queues and converts documents added to that folder to PDF/A format before placing them in the document queue.

- Go to the Zetadocs Setup program and select your Zetadocs product version.
- Next select the Zetadocs Server option to start the installer.
- Click Next and choose a destination folder for the installation and then Next.
- You will be asked to choose whether you want to include OCR support, this feature requires additional Zetadocs licencing either the Supplier Invoice Processing, Proof of Delivery or Capture Plus modules as well as an Abbyy licence.
- Choose the relevant option for your install and complete installing the Zetadocs Server.
 - I have an Abbyy licence and would like OCR support.
 - I do not have an Abbyy licence number.

Installing OCR Support

OCR support is provided using the third party solution provided by Abbyy, follow the steps below if you are installing OCR or barcode support, otherwise continue onto the [next step](#).

- Click Next, if you have included Abbyy OCR you will be asked to review their licence agreement.
- Once you have reviewed and selected I Agree, click Next.
- The Installation Wizard is now ready to install the Zetadocs Server, select Install and the wizard will complete the install.

Licensing Abbyy FineReader

Note: This requires an Abbyy licence.

- If you earlier specified that you wished to include Abbyy OCR support then you now need to license the Abbyy FineReader Engine.
- The Abbyy License Manager will open automatically.
- Click the Add new... button and then add your Abbyy license number and click Add.
- The Abbyy FineReader Activation Wizard will appear for you to activate your product.

Activation methods:

- Via the Internet - Activation is carried out automatically and takes only a few seconds. An Internet connection is required for this type of activation.
- By e-mail - The user needs to send an e-mail message generated by the program and containing information required for activation. To ensure a quick reply from the mail robot, do not alter the information in the message body or Subject field.

2. Configuring Document Queue Options

Zetadocs comes with two Document Queues setup a standard, a Sales and a Purchase Document Queue, with other custom queues available with Capture Plus. To configure the Zetadocs Server to communicate with the document queues these first need to be configured.

Creating the Document Queue Folders

Each document queue requires a network folder into which captured documents are placed for processing and conversion, and to which all users of the queue have full access permissions.

- Create the required folders e.g. Sales Document Queue.
- View its Properties and ensure the Share this Folder radio button is checked.

- Select the Permissions button and assign the necessary permissions.
 - USERS: Share permissions with a minimum of Change and Read Permissions. Full Permissions are recommended.
 - SERVICE: The Zetadocs DIRMonitor Service must have access to the queue folders. To do this add FULL Permissions to the SYSTEM user or whatever network user the service is running as.

Document Queue Settings in NAV

The Zetadocs Document Queue card will have been populated by the configuration file imported earlier with default values.

- For NAV 2013, NAV 2013 R2 and NAV 2015 navigate to Administration → Application Setup → Zetadocs Setup → Zetadocs Document Queue List.
- For NAV 2009 navigate to Administration → Application Setup → Zetadocs Setup → Zetadocs Document Queue Setup.
- Select the Queue you wish to adjust, it will contain the following fields.
 - No.: The document Queue ID, can be left as is.
 - Name: The name of the Document Queue, edit as required.
 - Path: The location of the document queue folder you created in the previous step, enter in the format \ExampleServerName\Sales Document Queue\
 - Archive Documents: Checking this option means all processed documents will be archived.
 - Archive Original: Checking this option means Zetadocs will archive the original document rather than the version converted to pdf. The conversion will still take place ensuring that any OCR or barcode recognition is still performed.
 - Delete After Archive: Checking this option means documents will be deleted from the document queue after being successfully archived.
 - Show Delete Confirmation: Checking this option determines whether a user is to be asked to confirm deletion of documents.
 - Auto Link Documents: (Not supported with Capture Essentials) Checking this option enables Auto Link functionality. This determines whether the document queue will call the GetAutoLink function in the Zetadocs-Send Customize codeunit. This option need to be checked if you are intending to use OCR or barcode matching.
 - Check Out on View: Checking this option means that when documents are viewed in the document queue they are also checked out.

The list at the bottom of the Document Queue card shows the menu items available to the user, when they click the **Archive** button from the Zetadocs Document Queue form.

The Zetadocs Server Configuration File

The Zetadocs Server settings are modified using a Config.xml file, this is located in the Zetadocs Server installation location usually C:\Program Files (x86)\Zetadocs Server\Document Converter. Open this file in a text editing program such as Notepad.exe. The Config.xml file contains settings which govern how documents are captured and added to document queues. Therefore it consists of instructions for each document queue configured and more general options for capturing documents. We will go through those options relevant to an Essentials install in the order they appear, for any options not described Essentials users can leave them set to the default values. In the example below there is a Sales and a Purchase Document Queue each inside its own <DocsQ> </DocsQ> tags with the general Zetadocs Server settings below that at the bottom which applies to all queues. In this section we will go through the document queue specific options identifying what the options do and providing suggestions for recommended defaults, please go through each in turn to ensure your system is configured properly.

```
<?xml version="1.0" encoding="utf-8"?>
<Config xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://
www.w3.org/2001/XMLSchema">

  <docsQueue>
    <DocsQ Description="Sales Document Queue" Location="//User specified queue location
\Sales Document Queue\">
      <EnablePDFTextExtractionToFile>false</EnablePDFTextExtractionToFile>
      <BatchScanSplitType>Barcode</BatchScanSplitType>
```

```

    <BatchScanPageInterval>1</BatchScanPageInterval>
    <BatchScanBarcodePrefix></BatchScanBarcodePrefix>
    <BatchScanBarcodeDeleteSplitPage>>false</BatchScanBarcodeDeleteSplitPage>
    <FilenamePrefix></FilenamePrefix>
  </DocsQ>

  <DocsQ Description="Purchase Document Queue" Location="//User specified queue location
\Purchase Document Queue\">
    <EnablePDFTextExtractionToFile>>false</EnablePDFTextExtractionToFile>
    <BatchScanSplitType>Off</BatchScanSplitType>
    <BatchScanPageInterval>1</BatchScanPageInterval>
    <BatchScanBarcodePrefix></BatchScanBarcodePrefix>
    <BatchScanBarcodeDeleteSplitPage>>false</BatchScanBarcodeDeleteSplitPage>
    <FilenamePrefix></FilenamePrefix>
  </DocsQ>

</docsQueue>

<PDFQuality>Better</PDFQuality>
<EnableAbbyy>>true</EnableAbbyy>
<StellentTimeOut>10</StellentTimeOut>
<StellentBypassPDF>>true</StellentBypassPDF>
<LogLevel>Error</LogLevel>
<LogToFile>>true</LogToFile>
<LogToEventLog>>false</LogToEventLog>
<EnableBarcodeDetection>>true</EnableBarcodeDetection>
</Config>

```

WARNING: The Zetadocs Server Config.xml file is case sensitive, therefore when setting the various options please ensure that you copy the exact casing shown here. Failing to do so may prevent the server from working as intended.

Specifying Document Queue Locations in the Zetadocs Server

Items added into the Document Queue folders will be processed and converted to PDF/A format. Document Queue folders should be folders on the local machine where the Zetadocs Server is installed. The folder should then be shared on the network for Document Queue users to access.

Sample Code: <DocsQ Description="Sales Document Queue" Location="//User specified queue location\Sales Document Queue\">

Options:

- <DocsQ Description="Sales Document Queue" - Enter the name of the queue as specified in [NAV earlier](#), it is already set to the default value.
- Location="//User specified queue location\Sales Document Queue\"> - Enter the Path to this queue as specified in [NAV earlier](#) on the Zetadocs Document Queue card.

PDF Text Extraction

This option allows you to set the Zetadocs Server to extract text which can then be used by several Capture and Delivery Plus elements, Essentials users can leave this set to the default value of false.

Sample Code: <EnablePDFTextExtractionToFile>>false</EnablePDFTextExtractionToFile>

Options:

- true - Causes the Zetadocs Server to attempt to extract text from documents, activating this option will slow down the Zetadocs Server operation.
- false - This option stops the Zetadocs Server extracting text from documents.

Batch Scanning Settings

Each document queue can be configured to use only one type of splitting method when processing batches of documents. Select from the options below depending on how you wish to split batches, if at all.

Sample Code: `<BatchScanSplitType>Off</BatchScanSplitType>`

Options:

- Off - The default, the Zetadocs Server doesn't process any batches present in the Batch Split folder of your document queue treating them as a single document.
- Barcode - (Not supported with Capture Essentials) The Zetadocs Server splits the batches on every page that contains a barcode.
- BarcodeValue - (Not supported with Capture Essentials) The Zetadocs Server splits the batches every time the barcode being read has a different value to the previous barcode read.
- PageInterval - Zetadocs Server splits the batches using an interval defined by the BatchScanPageInterval parameter, e.g. every 3 pages see below for details.

Configuring the Page Interval

This value determines the page interval number to be used when processing a document using the PageInterval splitting method described above.

Sample Code: `<BatchScanPageInterval>1</BatchScanPageInterval>`

Options:

- The page interval can be any positive whole number value (integer) e.g. 1,2,5,10,20 etc. The batch will then be split into documents each that number of pages.
- For those not using page interval splitting we recommend adding the value 1, as this will be ignored unless the BatchScanSplitType has been set to PageInterval.

File Name Prefix

It is often useful to be able to identify which Document Queue a document originated from following the conversion and queue processing. The file name prefix settings allows you to prefix all files processed by a queue. For example, a prefix setting of "SDQ_" in the Sales Document Queue would result in a document "Sample.doc" becoming "SDQ_Sample.pdf" after conversion to PDF.

Sample Code: `<FilenamePrefix></FilenamePrefix>`

Options: The default is no prefix. To set a prefix put the appropriate prefix in the setting for the desired queue. We recommend that the prefix value be less than 10 characters and the following characters are not allowed: # % & * : < > ? / { | } ~ " ' .

That completes the Zetadocs Server settings for a document queue, this process should be repeated for all subsequent queues before continuing on to the [general capture options](#).

3. Configuring Capture Settings

The general capture options for the Zetadocs Server are located at the bottom of the [Config.xml file](#) and contain the options listed below, these are applied to all captured documents regardless of the document queue settings.

Adjusting the PDF Quality

The quality of the pdf's the Zetadocs Server produces during conversion can be adjusted to meet your requirements

of file size, quality and conversion speed.

Sample Code: `<PDFQuality>Better</PDFQuality>`

Options:

- Better - Use this option when pdf quality is important, e.g. when using OCR.
- Smaller - Use this option when storage space is at a premium and high resolution is not required.

StellentTimeOut Option

Stellent is a component that helps with pdf conversion, this setting determines the duration Zetadocs will wait before assuming it has a problem and aborting the conversion.

Sample Code: `<StellentTimeOut>10</StellentTimeOut>`

Options: We recommend that this setting is left at its current default of 10.

StellentBypassPDF Option

This option causes the Zetadocs Server to bypass pdf files added to the conversion folder rather than convert them again. They are instead simply copied to the converted folder, which can result in the Server operating more quickly on a given batch of documents. Note: The PDF files may not be in the specific PDF/A format generated by the Server.

Sample Code: `<StellentBypassPDF>true</StellentBypassPDF>`

Options:

- true - The recommended default as PDF files will no longer be converted which can increase the speed at which the Zetadocs Server can process a batch of documents.
- false - Sends all documents for conversion including those already in pdf format.

Adjusting the Logging Level

The logging level options can normally be left set to error, with the other options only used in troubleshooting and support cases.

Sample Code: `<LogLevel>Error</LogLevel>`

Options:

- Error- Use this setting for general operation.
- Warning - Use this for trouble shooting issues.
- Debug - Should be used for a controlled period of time to trouble shoot issues.

Specifying the Log Location

The Zetadocs Server log can be set to save to a file and/or the event log, this is done using the two options `<LogToFile>` and `<LogToEventLog>`. Using these options is possible to set Zetadocs to log to either a file or the event log or neither.

The Zetadocs Server log file is written to: C:\Windows\Temp\Zetadocs\ZdDocumentConverter.log

Sample Code: `<LogToFile>true</LogToFile>`

`<LogToEventLog>>false</LogToEventLog>`

The above code would result in the log being kept in Zetadocs Server log file.

Options: Each of the can be set to either true or false, we recommend that you have one or the other forms of logging active at all times.

- true - Logs event at the level specified above to the log file or event log.
- false - Stops the Zetadocs server logging events into the log file.

Restarting the Zetadocs Server

Save the updated Config.xml file when you have finished making your changes. To implement the changes you have made you need to restart the Zetadocs Server.

- Go to Start → Run, then enter Services.msc
- Scroll to Zetadocs Document Converter and right click on it and select Restart.

4. Testing Capture Essentials

Drag and Drop with the Documents Factbox

- Log into the Windows Client as a user with a role with access to the modified sections within NAV.
- Locate one of the modified pages setup to work with Zetadocs e.g. Sales Order
- Open one of the modified pages in NAV and this will display the Documents FactBox in the top right hand side.
- Drag and drop a document to the Drag Files Here area and release it.
- Open the archive for the system and locate the original NAV record.
- This should display the document you dragged and dropped into the Documents FactBox.
- Repeat this with a selection of file types and from locations like the Outlook inbox to ensure they function as expected.

Check Scanning (Optional)

If a scanning device is connected, perform the following checks to ensure correct operation.

- Click the Queue → Scan... button to initiate scanning which uses the Zetadocs Client settings.
- Scan a document; once complete the scanned document name should appear in the Zetadocs Document Queue as the latest entry. The file (typically "filename.pdf") should also be in the Zetadocs Document Queue shared folder location.

Check Shared Location Updating

- Create an email with an attachment and save it as a .msg file into the Zetadocs Document Queue's shared folder location.
- Select the Queue → Refresh menu button and ensure that the saved email.msg file is now in the Document Queue converted into pdf format.
- Select the entry in the Zetadocs Document Queue and click Item → View, ensure that the item is viewable in pdf format
- Select the entry in the Zetadocs Document Queue and click Item → View Original, ensure that the item is viewable in its original format.

Check Printing

- Select the scanned .pdf file and click Item → Print, when prompted select a physical printer and click print. Ensure that the document prints to the printer.
- Select the recently added email with attachment(s) now stored as a pdf file and click Item → Print, when prompted select a physical printer and click Print. Ensure that the document prints to the printer and that the attachments are printed out also.

Check Delete

- Select an entry in the Zetadocs Document Queue and click Item → Delete. Ensure that the document is removed from the Queue and also that it successfully deletes the file from the Zetadocs Document Queue network folder location.

Creating Documents using the Sales and Purchase Document Queues

The Sales and Purchase Document Queues have the capacity to generate a number of different documents within NAV. These are predetermined and you should do a test for each that you intend to implement in the system.

Creating a Document using the Sales and Purchase Document Queues

- Open NAV and open the Zetadocs Sales Document Queue.
- Ensure the queue is populated with a selection of sample or test documents.
- Select one of the items from the queue and select Create and then the type of document you wish to test. In this case we'll look at a Quote, normally a user would view a queue item using the Zetadocs Viewer and use this as the basis for filling in the quote, order invoice etc details.
- This will display the Sales Quote window. Fill in the form as usual and when finished.
- Close the Sales Quote window. The Zetadocs Status Message is displayed advising you that a copy of your document that you have just processed from the Zetadocs Document Queue, has been saved in the archive and will also give you the archive location. You will be asked whether you want to delete the document from the document queue. If you no longer require the document to be in the Document Queue, you can delete it. You can always go back to the archive location where the document was saved to view it.
- Repeat this process for the other Sales items and the Purchase queue as required.
- Open your archive and ensure the documents have been archived as expected.

Web Client Document FactBox Testing

If you have installed the Zetadocs NAV Server Extensions, perform the following checks to ensure correct operation (NAV 2013 R2 and NAV 2015).

- Open the NAV Web Client and navigate to and open a Sales Quote record, or other supported record type.
- Select Add from the Documents FactBox Menu (...) actions and browse for an item to add to the archive using Windows Explorer or the equivalent on the device.
- Ensure this item appears in the Related Document List and is archived.

Continuing the Installation

This completes the installation and testing of Zetadocs Delivery and Capture Essentials. If you are not installing any Advanced features your setup is now complete, should you be performing the install on a test setup please proceed to the next section [migrating to a live environment](#).

Migrating to the live database

To migrate your setup to your live system you need to:

- Exporting the Configuration
- Exporting any Modified Forms, Pages, Tables and Reports
- Importing the Zetadocs for NAV Objects
- Importing any Modified Forms, Tables or Reports
- Importing the xml file with your configuration

Exporting the Configuration

The Zetadocs Configuration Export form will export all of the configuration data specific to Zetadocs, if you have modified data in other tables this will not be exported.

- From the Navigation pane select the Administration option.
- From the options that appear, select Application Setup and then Zetadocs Setup.
- Select the Zetadocs Configuration Export option.
- In the window that appears select a suitable name and location for your configuration export and click Export.

Exporting Modified Forms, Pages, Tables and Reports.

- Open the Object Designer (Tools → Object Designer).
- Click on All button in the designer menu.
- Select All objects (CTRL + A) or alternatively select those objects you wish to export.
- Export the Objects (File → Export) to a suitable file e.g. Zetadocs for NAV6.o Export.fob file.
- Keep the Zetadocs for NAV6.o Export.fob in a safe place.

Importing Zetadocs to the Live NAV System

When moving to the live system instead of importing the config.xml file and pages/tables/forms.fob files straight from the Zetadocs for NAV product download you simply select the files you created during the exports above.

- [Import the Zetadocs for NAV Objects fob file created from you test system](#)
- [Install the Page interfaces and forms as required](#)
- [Import the xml file with your configuration from the test system](#)
- [Copy across your Zetadocs Templates](#)
- [Install the Zetadocs for NAV Client on the various client machines that will be using Zetadocs](#)

Once you have imported the configuration you should perform a brief series of tests like those conducted earlier to ensure that the migration has been successful.

Further Resources

To keep this guide as simple as possible we have focused on the standard installation requirements. The links below offer access to installation support materials and some more common pieces of non standard installation advice.

[Latest Advice and Resources](#) - Provides access to the latest technotes, updates and tools to support your installation, we recommend you view this page to ensure you are working with the most up to date software and advice. Also provides general advice and specific advice for special install scenarios, such as Upgrades, Group Policy and Remote Desktop Services installations.